

WHAT IS CLAIMED IS:

Sub
A4

1. A portable seat assembly for use by a person bathing, the seat assembly comprising:
 - a horizontal surface constructed of a rigid material;
 - a first support, said first support including a first leg, a second leg, and a first brace support connecting the first leg to the second leg;
 - a second support, said second support including a third leg, a fourth leg and a second brace support connecting the first leg to the second leg;
 - the first brace support affixed to an underside of said horizontal surface;
 - the second brace support diagonally laying across the first brace support on the underside of said horizontal surface;
 - a basket slidably mounted to the underside of said horizontal surface, said basket having:
 - a generally horizontal bottom surface;
 - four generally vertical sides affixed to the bottom surface, the four sides and bottom surface forming an enclosure for storing shower supplies; and
 - two overhanging edges extending outwardly from a top portion of two opposing sides of said basket; and

21 means for slidably supporting the two overhanging edges of
22 said basket on the underside of said horizontal surface.

2 2. The seat assembly of claim 1, wherein the means for slidably
3 supporting the two overhanging edges of said basket is two guide rails
4 mounted on the underside of said horizontal surface, each guide rail
forming a lip to support each overhanging edge of said basket.

1 3. The seat assembly of claim 2 wherein each guide rail is
2 affixed to the first and second brace supports to provide additional
3 stability to the seat assembly.

1 4. The seat assembly of claim 1 further comprising means for
2 affixing said basket to an edge of said horizontal surface.

1 5. The seat assembly of claim 4 wherein the means for affixing
2 said basket to an edge of said horizontal surface is an adjustable rod
3 affixed to the horizontal surface and extending from the edge of the
4 horizontal surface to retain said basket against the edge of said horizontal
5 surface.

Sub B Cont 12

6. The seat assembly of claim 1 wherein said horizontal surface includes a plurality of holes.

7. The seat assembly of claim 1 wherein said basket includes a plurality of apertures.

Sub A 15

8. A portable seat assembly for use by a person bathing, the seat assembly comprising:

a horizontal surface constructed of a rigid material;

four support legs attached to an underside of said horizontal surface;

a basket slidably mounted to the underside of said horizontal surface, said basket having:

a generally horizontal bottom surface;

four generally vertical sides affixed to the bottom surface, the four sides and bottom surface forming an enclosure for storing shower supplies; and

two overhanging edges extending outwardly from a top portion of two opposing sides of said basket; and

means for slidably supporting the two overhanging edges of said basket on the underside of said horizontal surface.

10026300-122101

2

3

4

5

6

7

1

2

2

1

1

2

5

4

5

9. The seat assembly of claim 8 wherein:

a first support leg is attached to a second support leg to form a first

a third support leg is attached to a fourth support leg to form a

whereby the first support assembly lies diagonally across the

said horizontal surface includes a plurality of holes; and

11. The seat assembly of claim 10 further comprising means for

12. The seat assembly of claim 11 wherein the means for

affixing said basket to an edge of said horizontal surface is an adjustable

rod affixed through a hole of said horizontal surface and extending from

the edge of said horizontal surface through an aperture of said basket to

retain said basket against the edge of said horizontal surface.

SUB
1
2

13. The seat assembly of claim 8 further comprising a cover pivotably mounted to the underside of the horizontal surface.

SUB
1
2
3
4
5

14. The seat assembly of claim 13 wherein the means for slidably supporting the two overhanging edges includes a plurality of outcroppings;
whereby when said cover is tilted when said basket is slide outwardly from under said horizontal surface.

15. A portable seat assembly for use by a person bathing, the seat assembly comprising:

a horizontal surface constructed of a rigid material, said horizontal surface having a plurality of holes;

a first support, said first support including a first leg, a second leg, and a first brace support connecting the first leg to the second leg;

a second support, said second support including a third leg, a fourth leg and a second brace support connecting the first leg to the second leg;

10 the first brace support affixed to an underside of said horizontal
11 surface;

12 the second brace support diagonally lying across the first brace
13 support on the underside of said horizontal surface;

14 a basket slidably mounted to the underside of the horizontal
15 surface, said basket having:

16 a generally horizontal bottom surface;

17 four generally vertical sides affixed to the bottom surface,
18 the four sides and bottom surface forming an enclosure for storing
19 shower supplies; and

20 two overhanging edges extending outwardly from a top
21 portion of two opposing sides of said basket;

22 two guide rails mounted on the underside of the horizontal surface,
23 each guide rail forming a lip to support each overhanging edge of said
24 basket; and

25 an adjustable rod affixed to said horizontal surface and extending
26 from the edge of said horizontal surface to retain said basket against the
27 edge of said horizontal surface.